

Voluntary informative product safety data sheet (SVIP), according to GHS – GLOBAL HARMONISED SYSTEM, Reg. EC 1907/2006 and to Reg. EU 453/2010

1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION		
Product name	Quick Change Discs	
Description and use	Abrasive material rigid organic binder Use: grinding of metals	
Company name	Weldcote Abrasives	
Address	7720 Lehigh Ave, Niles, IL 60714 USA	
Telephone number	224-998-2600	
Fax number	224-998-2649	
E-mail	ordersniles@weldcotemetals.com	
Emergency phone number	224-998-2600	

2 HAZARDS IDENTIFICATION	
Hazard classification of the product	The abrasive product is an article and cannot hazard classification according to Reg. EC 1272/2008 is not applicable. Risks about its use should be assessed by the safety management system of any downstream user
Labelling	This abrasive product is an article: labelling is not applicable according to Reg. 1272/2008/EC

3 COMPOSITION / INFORMATION ON INGREDIENTS

Abrasive material, binded in a thermosetting resin matrix

Abrasive material in polimeric matrix

Matrix	Substance	Hazard pictogram	Hazard classification	CAS N.	EC N.	
Wiatrix	Jubstance	Reg. EC 1272/2008	Reg. EC 1272/2008	CAS N.		
	Aluminum oxide			1344-28-1	215-691-6	
	Al ₂ O ₃	TSCA 8(b) inventory	Listed			
	1 -2 - 3	RTECS	BD1200000			
	Iron oxide		1309-37-1		215-168-2	
	Fe ₂ O ₃	TSCA 8(b) inventory	Listed			
	1 0203	RTECS	NO7400000			
	Pyrite			1309-36-0	215-167-7	
FeS ₂		TSCA 8(b) inventory	Listed			
	Fe32	RTECS	N.A.			
Abrasive powders	Kalfren (Aluminum potassium		Eye irrit 2 – H319 Acute tox 4 – H332 Lact – H362 STOT RE 1 – H372 Aquatic chronic 3 – H412	60304-36-1	262-153-2	
	fluoride)	TSCA 8(b) inventory	Listed			
		RTECS	N.A.			
Barium carbonate		<u>(!)</u>	Acute tox 2 – H302	513-77-9	208-163-3	
	BaCO ₃	TSCA 8(b) inventory	Listed			
		RTECS	CO8600000			

Voluntary informative product safety data sheet (SVIP), according to GHS – GLOBAL HARMONISED SYSTEM, Reg. EC 1907/2006 and to Reg. EU 453/2010

Structural support

Information about design of

technical facilities

Matrix	Structural component	Hazard pictogram	Hazard classification
Binder	Inert thermosetted polymer		

Biridei Iriert t	nemosetted pt	Diyinoi		
4 FIRST AID ME	CUDEC			
4 FIRST AID ME	SURES			
Preamble		Following statements must be taken as base-rules concerning abrasive materials and has to be completed according to safety data sheets of processed materials and process cooling liquid used		
General information		In case of eyes and skin contact, give priority to eyes first aid measures		
Eye contact		Rinse opened eye for several minutes under running water and seek immediate medical advice, showing this MSDS		
Skin contact		Remove contaminated clothes. Immediately wash with water and soap and rinse thoroughly.		
Inhalation		Supply fresh air; consult doctor in case of complaints		
Swallowing		No relevant effects in case of swallowing. Drink water and seek immediate medical advice, showing this MSDS		
5 FIRE FIGHTING	MEASURES			
Suitable extinguishing a	gents	CO ₂ , extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam		
Protective equipment		Ordinary protective equipment in case of fire-fighting		
Specifical risks		None		
6 ACCIDENTAL I	RELEASE MEA	ASURES		
Person-related safety pr	ecautions			
Measures for environme	ntal protection	Not applicable to the article		
Measures for cleaning/c	ollecting			
7 HANDLING AN	D STOP ACE			
/ HANDLING AN	DSTURAGE			
Handling		Avoid direct contact using recommended handling safety equipment (see § 8). According to normal use conditions, product does not contain volatile components.		
Storage		Keep in cool, dry, ventilated storage in closed original containers. Do not drinking or eating near the storage place.		
8 EXPOSURE CO	NTROLS / PE	RSONAL PROTECTION		
		k concerning the use in mechanical industry		
Pisk scenario Experim		nental toxicological data are not available concerning specifical exposure os. Hazard classification of this product was done according to Reg. EC 1272/2008		

and other available informations

Ensure good ventilation/exhaustion at the workplace.

Safety washing water must be available for skin and eyes

Voluntary informative product safety data sheet (SVIP), according to GHS – GLOBAL HARMONISED SYSTEM, Reg. EC 1907/2006 and to Reg. EU 453/2010

		_	\ 2014 [mg/m³]	ACGIH TWA [n	
	Substance	Total	Respirable fraction	Inhalable fraction	Respirable fraction
Exposure limit values	Aluminum oxide [Al ₂ O ₃]	15	5		
	Aluminum potassium fluoride	2,5		2,5	
	Barium carbonate			0,5	
	Particles not otherwise classified	10 mg/m³ inhala 3 mg/m³ respira	ble fraction (TWA)	8 h, ACGIH 2014 8 h, ACGIH 2014	4) 1)
	In ca	ase of brief expos	ure use respirato	ry filter device	
Respiratory protection					
	Safety goggles or face shield				
Eyes protection					
	Protective gloves for chemical products, according to standard EN374; materials for long contact time			erials for long	
Hands protection					
	Use protective clothes and protective shoes				
Skin protection					
Other informations	Abrasive materials used are inert and cannot cause risks when correctly stored and managed. During use on machineries, they request safety precautions for workers. The most part of powder particles comes from the processed material and eventually from the cooling liquid. Consequently attention and safety precautionary measures on vapours and dusts environmental removing must be applied. Follow the local Safety Management standards and instructions.				

9 PHYSICAL AND CHEMICAL PROPERTIES		
Appearance	Solid abrasive material	
Color	Black	
Odor	Odorless	
PH	Not applicable	
Ionic charge	Not applicable	
Boiling point	Not applicable	
Melting point	Not applicable	
Flash point	Not applicable	

Voluntary informative product safety data sheet (SVIP), according to GHS – GLOBAL HARMONISED SYSTEM, Reg. EC 1907/2006 and to Reg. EU 453/2010

Water solubility at 20°C Not soluble Volatile organic chemicals (VOC) Partition coefficient n-octanol/water No available data on this article 10 STABILITY AND REACTIVITY Stability Stable in normal handling and storage conditions
Partition coefficient n-octanol/water No available data on this article 10 STABILITY AND REACTIVITY
10 STABILITY AND REACTIVITY
Stability Stable in normal handling and storage conditions
Conditions/materials to avoid Keep away from strong oxidizers and electrostatic charges
Dangerous decomposition products After overheating and drying, thermical decomposition at °T > 250 °C can produce dangerous vapours as carbon dioxide, carbon oxide and nitrogen oxides
11 TOXICOLOGICAL INFORMATIONS
Material is inert on polymeric matrix. Data are referring to used abrasive components
Carcinogenic effects: No carcinogenic effects are known and applicable
Mutagenic effects: No mutagenic effects are known and applicable
Acute toxicity Aluminum oxide: > 5000 mg/Kg - DL50, oral rat (IUCLID Data Sheet, European Chemical Bureau) Barium carbonate: 418 mg/Kg - DL50, oral rat (Sigma Aldrich)
Chronic toxicity No chronic effects are known and applicable
Skin Mechanical irritating effects
Inhalation Irritating (superior respiratory system). Powders produced during use can cause respiratory irritating effects
Eyes Mechanical irritating effects: symptoms can be irritating, reddening, damages of corneal surface, tearing. Powders produced during use can cause eyes irritating effects
Other negative effects Other risks can be caused depending on the abrasion process material used
12 ECOLOGICAL INFORMATIONS
Aluminum oxide > 100 mg/l – 96 ore, salmo trutta (acutetoxicity) Ecological toxicity > 100 mg/l – 48 ore, daphnia magna (acute toxicity)
Barium carbonate 6950 mg/l – 96 ore, gambusia affinis (acute toxicity)
Mobility No available and applicable data about this abrasive article
Biopersistency No available and applicable data about this abrasive article
Biodegradability No available and applicable data about this abrasive article
Potential of bioaccumulation

13 DISPOSAL CONSIDERATIONS

Recovery if possible.

Disposal recommendation

Waste and uncleaned packages must be disposed of in accordance with state and local environmental regulations.

Voluntary informative product safety data sheet (SVIP), according to GHS – GLOBAL HARMONISED SYSTEM, Reg. EC 1907/2006 and to Reg. EU 453/2010

14 TRANSPORT INFORMATION

ONU number: not applicable ADR/RID: not regulated (road and railway) Transport classification and ICAO/IATA: not regulated (air transport)
IMDG/IMO: nor regulated (maritime trans regulation

		IMDG/IMO: ı	nor regulated (maritime transport)		
15 REGULATORY INFORM	ATION	I			
GHS Hazard labeling symbols			None		
UE Hazard labeling symbols			None		
U.S.A. OSHA labeling symbols			None		
CANADA WHIMIS labeling symbo	ols		None		
GHS hazard statements			None		
UE hazard statements	UE hazard statements		None		
U.S.A. OSHA hazard statements		None			
CANADA WHIMIS hazard stateme	ents	None			
Precautionary statements		P 260	Do not breathe dust		
(Reg. EC 1272/2008)		P 280	Wear protective gloves/eye/face protection		
Other regulation references	Subst Reg. mixtul Reg. I Produ su su su	Ill ingredients of this product are listed or are excluded from listing on the U.S. Toxic substances Control Act Chemical Substance Inventory (see section 3) areg. EC 1272/2008 on classification, labelling and packaging of substances and nixtures, amending and repealing Directives EC 67/548 and EC 1999/45, and amending areg. EC 1907/2006 (Reach) aroduct does not contains detectable amounts of: substances classified carcinogenic cat. I or cat. 2 substances included in the ECHA Candidate list of SVHC substances included in the Reach annex 14 (authorization) No restriction are applicable according to UE Reach Regulation (Annex 17 and following amendments)			

GHS Hazard statements H332 - Harn	ses serious eye irritation nful if inhaled cause harm to breast-fed children
GHS Hazard statements	
	cause harm to breast-fed children
(full text) (§ 3)	
H372 - Caus	ses damage to organs
H412 - Harn	nful to aquatic life with long lasting effects
Further informations and references Further informations and references Further informations and Reg. EC NIOSH: ACGIH: When appli preparation Product is a Dir. EC 42/2/	s are updated to: Globally Harmonized System of Classification and Labelling of Chemicals, United, 1st Revised Edition 2005" 2400.1/Z129.1-2010 Hazard Evaluation and Safety Data Sheet and Precautionary g Preparation Communication Standard 29 CFR 1910.1200 C1272/2008 and following amendments Registry of toxic effects of chemical substances American Conference of Governmental Industrial Hygienists, 2014 icable, according to Reg. 1907/2006/EC - chapter II, all substances used in this where registered according to Reg. 1907/2006/EC – title II requirements (registration of substances) 2006 (machineries directive): not applicable.

Voluntary informative product safety data sheet (SVIP), according to GHS – GLOBAL HARMONISED SYSTEM, Reg. EC 1907/2006 and to Reg. EU 453/2010

ABBREVIATIONS AND ACRONYMS		
LD50	Average letal dose	
TLV - TWA	Threshold Limit Value - Time Weighted Average	
STEL	Short Term Exposure Limit	
OES	Occupational Exposure Standard	
REACH	Registration, Evaluation, Autorisation of Chemicals	
ECHA	European Chemical Agency	
RTECS	Registry of Toxic Effects of Chemical Substances (U.S.A.)	
OSHA	Occupational Safety and Health Administration	
NIOSH	National Institute for Occupational Safety and Health	
ACGIH	American Conference of Governmental Industrial Hygienists	
TSCA	Toxic Substances Control Act	
WHMIS	Workplace Hazardous Materials Information System (Canada)	
OSHA	Occupational Safety and Health Administration	
n.a.	Not applicable/Not available	

DISCLAIMER

THIS PREPARATION MUST BE USED ONLY IN THE PROPER WAY FOR PROPER USE.

THE PROVISION OF THESE DOCUMENTS IS A VOLUNTARY SERVICE. NO OBLIGATION FOR THE ABRASIVES INDUSTRY TO PROVIDE THIS DOCUMENT SHOULD BE CONSIDERED.

THE INFORMATIONS CONTAINED IN THIS MSDS, AS OF THE ISSUE DATA, IS BELIEVED TO BE TRUE AND CORRECT. HOWEVER, THE ACCURACY OR COMPLETENESS OF THIS INFORMATION AND ANY RECOMMENDATIONS OR SUGGESTIONS ARE MADE WITHOUT WARRANTY OR GUARANTEE. SINCE THE CONDITIONS OF USE ARE BEYOND THE CONTROL OF OUR COMPANY, IT IS THE RESPONSABILITY OF THE USER TO DETERMINE THE CONDITIONS OF SAFE USE OF THIS PRODUCT